

MC5218**1080P Mobile Mini Dome AHD Camera**

Key Feature

- Up to 2 megapixel high resolution
- 1920 x 1080@25fps/1920 x 1080@30fps video
- PAL/NTSC video format
- F2.8 mm fixed lens
- Auto adjusting 2D-DNR/3D-DNR
- D-WDR
- DC 12V
- Day/Night mode
- Up to 10 m IR range
- IP66 weather-proof protection
- Seismic structure design
- 6KV lightning protection

Specification

Model	MC5218
Camera Type	1080P Mobile Mini Dome AHD Camera
Image Sensor	1/2.8" Progressive Scan CMOS Sensor
Effective Resolution	1920(H) x 1080(V)
Video Format	PAL/NTSC
Frame Rate	1920 x 1080@25fps/1920 x 1080@30fps
Min.Illumination	0.0001Lux@(F1.2,AGC ON),0LUX with IR
Day&Night	IR cut filter
S/N Ratio	More than 50 dB
WDR	D-WDR
DNR Type	2DNR/3DNR
IR	12PCS IR LED
IR Range	Up to 10m
Lens Type	F 2.8mm fixed lens
Horizontal Angle of View	115° (D)
Tilt Adjusting	0-45 Degree
Lens Mount	M12
Audio Fuction	Optional
Power Supply	12V DC ± 10%,160mA
Dimensions	Ø109 x 63 mm
Net Weight	400g
Weatherproof/Water Proof	IP66
Operational Temperature	-20 ~ +60 ° C
Operational Humidity	<95%
Video Interface	Aircraft Round Connector Plug

Dimension

